


Product Data Sheet for KleenGuard® G40 Polyurethane Coated Gloves - Hand-Specific Pairs / Black

Product Information

Customer Facing Code	13837 - 13841	
Description	KleenGuard® G40 Polyurethane Coated Gloves - Hand-Specific Pairs / Black	
PDS Reference	29/06/2022	
Status	On Sale	

Packaging Configuration

Case Contents	13837: 5 Bags x 12 Pairs = 60 Pairs 13838: 5 Bags x 12 Pairs = 60 Pairs 13839: 5 Bags x 12 Pairs = 60 Pairs 13840: 5 Bags x 12 Pairs = 60 Pairs 13841: 5 Bags x 12 Pairs = 60 Pairs
Outer Pack Material	Corrugated

Packaging and Palletisation

Code/Size	ITF Barcode	EAN Barcode	Case LWH (cm)	Net/Gross Weight (kg)	Pallet Type	Pallet LWH (m)	Cases per Pallet	Inner Gross Weight (Kg)
13837-7	10036000138372	036000138375	42.86 x 25.72 x 14.67	1.392/1.81	E5	1.20 x 0.80 x 1.32	7 x 8 =56	0.30
13838-8	10036000138389	036000138382	42.86 x 25.72 x 14.67	1.596/2.04	E5	1.20 x 0.80 x 1.32	7 x 8 =56	0.40
13839-9	10036000138396	036000138399	42.86 x 25.72 x 14.67	1.8/2.25	E5	1.20 x 0.80 x 1.32	7 x 8 =56	0.40
13840-10	10036000138402	036000138405	42.86 x 25.76 x 14.67	1.992/2.44	E5	1.20 x 0.80 x 1.32	7 x 8 =56	0.45
13841-11	10036000138419	036000138412	42.86 x 25.76 x 14.67	2.196/2.51	E5	1.20 x 0.80 x 1.32	7 x 8 =56	0.50

Product Description

KleenGuard® gloves are designed to protect hands against mechanical hazards, getting the job done where safety and flexibility is key. Each hand-specific pair of gloves is available in a choice of five sizes with colour-coded cuffs and roughened polyurethane coating for excellent grip. Seamless knitted nylon backing offers breathability and comfort. The gloves offer PPE category 2 protection for heavy-duty tasks in mechanical, manufacturing and construction environments, without breaking or tearing and still allowing sensitive touch for handling small parts. For other glove sizes, see product codes 13837, 13838, 13839 and 13840. 5 bags x 12 pairs hand specific, black gloves, 11, (120 total) Kimberly-Clark Professional™ personal protective equipment is only intended for occupational workplace use and must be used in compliance with all applicable health and safety laws and standards in addition to all user instructions, warnings and limitations accompanying each product. It is essential all product user instructions and laws and regulations on the use of each product be followed in order for the product to help protect the wearer. Misuse of personal protective equipment may result in injury, sickness, or death. For correct product selection and use, individuals should seek occupational health and safety advice from a suitably competent person. This product is suitable for sale in the EU. Individual units should not be sold separately.

Product Data Sheet for KleenGuard® G40 Polyurethane Coated Gloves - Hand-Specific Pairs / Black

Features and Benefits

Features	Benefits
Dexterity	Ideal for handling small components.
High Tear & Abrasion Resistance	Reduced cost in use.
Polyurethane Coating	Excellent Grip due to roughened coating.
Seamless Nylon Knit	Breathability and comfort

Product Configuration

Sterile	No	Latex Free	No
Main Protection Type	General purpose	Application	Industrial
Ambidextrous	No	Powdered	No
Material	Other	Coated	Palm Coated
Liner	Seamless Knitted Nylon	Coating	Polyurethane
Colour	Black	Chlorinated	No
Coating Type	Smooth	Gauge	15
Glove Shape	Hand Specific	Length	220 - 260 mm

International Standards and Symbols

Solution

Safer Workplace

We know staff safety is your top priority. You can rely on our solutions to protect them, their environment and your important work.



Productive Workplace

The success of your business hinges on your work efficiency. That's why our solutions are designed to help improve your productivity.



Standard R+E

CE Mark

Simple - CAT I, Intermediate - CAT II or Complex - CAT III



Trade

ISO 9001

This gives the requirements for quality management systems, is now firmly established as the globally implemented standard for providing assurance about the ability to satisfy quality requirements and to enhance customer satisfaction in supplier-customer relationships.



Packaging

Unit Of Sale	Case	Max Weight(kg)	2.76
Case Dimension(LXWXH)(cm)	42.86 x 25.76 x 14.67	Inner Pack Material	Cartonboard

Product Data Sheet for KleenGuard® G40 Polyurethane Coated Gloves - Hand-Specific Pairs / Black

Instructions

The open book pictogram - indicates that the user should read and understand the USER INSTRUCTIONS before using the garment.

Protect from heat and radioactive sources.

Keep Dry. Store in a cool, dry place.

Information

It is the employer's responsibility to assess the risk of the task to be undertaken and determine the correct choice of personal protective equipment for the task. The manufacturer, Kimberly-Clark, does not accept any responsibility for the incorrect choice or misuse of the personal protective equipment shown in this brochure. All care has been taken to ensure that the information contained herein is as accurate as possible at the time of publication, however errors may occur and legislation concerning personal protective equipment is under constant review and may change in the lifetime of this brochure. Accordingly, the specification for the products may be subject to change. We would advise you to contact INFOFAX if you have any queries concerning the products shown or the suitability of such products for a particular task. Always dispose of used protective equipment in a safe and appropriate manner in accordance with European, National and Local environmental regulations.

Websites	www.kcprofessional.com	Storage conditions	Keep dry. Store in a cool dry place and shield from exposure to direct sunlight, intense artificial light or exposure to sources of radiation or ozone.
Durability	This product has a five years shelf life from the date of manufacture.		
Customer Service Number	For more information please contact Customer Service during regular office hours-0870 551 044		
Country of Origin	SRI LANKA		