Lobby Broom, 260 mm, Soft/hard, Green





Easily clean the narrow spaces between production line equipment with this Lobby Broom. Ideal for sweeping dry areas, perfect for use with a lobby pan, and can be used with any Vikan handle.

Technical Data

Visible bristle length 75 mm Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 800 Pcs. Box Length 380 mm Box Veight 380 mm Box Height 180 mm Box Height 260 mm Width 35 mm Height 175 mm Gross Weight 0,37 kg Net Weight 0,37 kg Max usage temperature (Dishwasher) 38 °C Max usage temperature (Dishwasher) 38 °C Max usage temperature (not contact) 10 °C Min. usage temperature (not contact) 10 °C Min. usage temperature (Fox quantity) 25 °C Mi	Item Number	31042
Polyester Stainless Steel (AIS stainless Steel (A	Visible bristle length	75 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Length 260 mm Width 35 mm Height 175 mm Gross Weight 0,37 kg Net Weight 0,34 kg Cubik metre 0,0016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperatures 20 °C Min. pH-value in usage concentration 10,5 pH Gtin-13 Number 5705020310423 GTIN-14 Number (Box quantity) 157050203104	Material	Polyester Stainless Steel (AISI
Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Length 260 mm Width 35 mm Height 175 mm Gross Weight 0,37 kg Net Weight 0,37 kg Net Weight 0,34 kg Cubik metre 0,0016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ 20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Co	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Length 260 mm Width 35 mm Height 175 mm Gross Weight 0,37 kg Net Weight 0,34 kg Cubik metre 0,0016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature* 20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020310423 GTIN-14 Number (Box quantity) 15705020310420		Yes
Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Length 260 mm Width 35 mm Height 175 mm Gross Weight 0,37 kg Net Weight 0,34 kg Cubik metre 0,0016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 10,5 pH Gtin-13 Number 5705020310423 GTIN-14 Number (Box quantity) 15705020310420 Customs Tariff No. 96039099	FDA compliant raw material (CFR 21)	Yes
Is Halal compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Length 260 mm Width 35 mm Height 175 mm Gross Weight 0,37 kg Net Weight 0,37 kg Cubik metre 0,0016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperatures -20 °C Min. pH-value in usage concentration 10,5 pH Gtin-13 Number 5705020310423 GTIN-14 Number (Box quantity) 15705020310420 Customs Tariff No. 96039099	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Length 260 mm Width 35 mm Height 175 mm Gross Weight 0,37 kg Net Weight 0,016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperatures -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020310423 GTIN-14 Number (Box quantity) 15705020310420 Customs Tariff No. 96039099	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm) 800 Pcs Quantity Per Layer (Pallet) 80 Pcs Box Length 380 mm Box Width 290 mm Box Height 180 mm Length 260 mm Width 35 mm Height 175 mm Gross Weight 0,37 kg Net Weight 0,34 kg Cubik metre 0,0016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperatures -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020310423 GTIN-14 Number (Box quantity) 15705020310420 Customs Tariff No. 96039099	Is Halal compliant	Yes
Quantity Per Layer (Pallet) 80 Pcs. Box Length 380 mm Box Width 290 mm Box Height 180 mm Length 260 mm Width 35 mm Height 175 mm Gross Weight 0,37 kg Net Weight 0,34 kg Cubik metre 0,0016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020310423 GTIN-14 Number (Box quantity) 15705020310420 Customs Tariff No. 96039099	Box Quantity	10 Pcs.
Box Length 380 mm Box Width 290 mm Box Height 180 mm Length 260 mm Width 35 mm Height 175 mm Gross Weight 0,37 kg Net Weight 0,016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020310423 GTIN-14 Number (Box quantity) 15705020310420 Customs Tariff No. 96039099	Quantity per Pallet (80 x 120 x 200 cm)	800 Pcs
Box Width 290 mm Box Height 180 mm Length 260 mm Width 35 mm Height 175 mm Gross Weight 0,37 kg Net Weight 0,34 kg Cubik metre 0,0016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020310423 GTIN-14 Number (Box quantity) 15705020310420 Customs Tariff No. 96039099	Quantity Per Layer (Pallet)	80 Pcs.
Box Height 180 mm Length 260 mm Width 35 mm Height 175 mm Gross Weight 0,37 kg Net Weight 0,0016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020310423 GTIN-14 Number (Box quantity) 15705020310420 Customs Tariff No. 96039099	Box Length	380 mm
Length 260 mm Width 35 mm Height 175 mm Gross Weight 0,37 kg Net Weight 0,34 kg Cubik metre 0,0016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020310423 GTIN-14 Number (Box quantity) 15705020310420 Customs Tariff No. 96039099	Box Width	290 mm
Width 35 mm Height 175 mm Gross Weight 0,37 kg Net Weight 0,34 kg Cubik metre 0,0016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020310423 GTIN-14 Number (Box quantity) 15705020310420 Customs Tariff No. 96039099	Box Height	180 mm
Height 175 mm Gross Weight 0,37 kg Net Weight 0,34 kg Cubik metre 0,0016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020310423 GTIN-14 Number (Box quantity) 15705020310420 Customs Tariff No. 96039099	Length	260 mm
Gross Weight0,37 kgNet Weight0,34 kgCubik metre0,0016 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHGtin-13 Number5705020310423GTIN-14 Number (Box quantity)15705020310420Customs Tariff No.96039099	Width	35 mm
Net Weight0,34 kgCubik metre0,0016 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHGtin-13 Number5705020310423GTIN-14 Number (Box quantity)15705020310420Customs Tariff No.96039099	Height	175 mm
Cubik metre0,0016 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHGtin-13 Number5705020310423GTIN-14 Number (Box quantity)15705020310420Customs Tariff No.96039099	Gross Weight	0,37 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHGtin-13 Number5705020310423GTIN-14 Number (Box quantity)15705020310420Customs Tariff No.96039099	Net Weight	0,34 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHGtin-13 Number5705020310423GTIN-14 Number (Box quantity)15705020310420Customs Tariff No.96039099	Cubik metre	0,0016 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHGtin-13 Number5705020310423GTIN-14 Number (Box quantity)15705020310420Customs Tariff No.96039099	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHGtin-13 Number5705020310423GTIN-14 Number (Box quantity)15705020310420Customs Tariff No.96039099	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020310423 GTIN-14 Number (Box quantity) 15705020310420 Customs Tariff No.	Max usage temperature (food contact)	80 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020310423 GTIN-14 Number (Box quantity) 15705020310420 Customs Tariff No. 96039099	Max usage temperature (non food contact)	100 °C
Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020310423 GTIN-14 Number (Box quantity) 15705020310420 Customs Tariff No. 96039099	Min. usage temperature ³	-20 °C
Gtin-13 Number 5705020310423 GTIN-14 Number (Box quantity) 15705020310420 Customs Tariff No. 96039099	Min. pH-value in usage concentration	2 pH
GTIN-14 Number (Box quantity) 15705020310420 Customs Tariff No. 96039099	Max. pH-value in Usage Concentration	10,5 pH
Customs Tariff No. 96039099	Gtin-13 Number	5705020310423
	GTIN-14 Number (Box quantity)	15705020310420
Country of origin Denmark	Customs Tariff No.	96039099
	Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care

units, before use.

3. Do not store the product below 0° Celsius.